



Ningbo Synmel Smartech Co.,Ltd.



Product Manuals

www.synmel.cn



Ningbo Synmel Smartech Co., Ltd is an EAS, Smart Retailing product manufacturer, integrator and solution provider. The company is committed to continually develop efficient yet convenient retail equipment and solutions. We ensure you the best price value combination when you bundle shopping with us, thanks to our great relationship with our partners and our 'one-stop EAS shopping' core concept.

This sample manual contains detail information & specification of our company's EAS product line, including AM & RF soft labels, hard tags, detachers, deactivators, safers, detection systems(pedestals) and developing items & solutions.

EAS labels and tags can be applied to almost every type of consumer good. The soft labels are most used in electronics, cosmetics, foods, various types of packaging boxes, liquid products and so on. The hard tags are mainly used for milk powder, alcohol, shoes, clothes and so on.

For more information, photo quotations, inquiries, please contact us at :
sales@synmel.com

Please let us know the product code of the items you are interested with and we will do our best to assist you.

Synmel – Your professional loss prevention manager and one-stop shop for EAS & Retail needs.

Products Catalog

AM Soft Labels	-----	03
Hard Tags	-----	06
Alarming Tags	-----	14
Safers	-----	16
RF Soft Labels	-----	21
Detachers & Deactivators	-----	23
Accessories	-----	26
Detection Systems	-----	28
Pull Box	-----	33

AM Soft Labels



Anti-theft AM Label (AMSL (108pcs/sheet))

Frequency:58KHz
Color:Barcode
Material:PS Shell
Dimension:45*11*1.6mm
Packaging:20000pcs/ctn,10.0Kg,0.026cbm



Anti-theft AM Label (SL-BCP3)

Frequency:58KHz
Color:Barcode
Material:PS Shell
Dimension:45*10*1.6mm
Packaging:20000pcs/ctn,10.2Kg,0.029cbm




AM Color Label (SL-CLP3)

Frequency:58KHz
Color:Multi-color
Material:PS Shell
Dimension:45*10*1.6mm
Packaging:20000pcs/ctn,10.2Kg,0.029cbm



Narrow AM Label (NTL-G)

Frequency:58KHz
Color:Barcode
Material:PS Shell
Dimension:44.2*7.2*2mm
Packaging:20000pcs/ctn,8.35Kg,0.022cbm



Narrow AM Color Label (NCL)

Frequency:58KHz
Color:Multi-color
Material:PS Shell
Dimension:44.2*7.2*2mm
Packaging:20000pcs/ctn,8.35Kg,0.022cbm




Special Shaped Label (SPSL-P3)

Frequency:58KHz
Color:Multi-color
Material:PS Shell
Dimension:Common size:55*16*2mm,
 Customization available



Permanent Magnet Label (NSPL)

Frequency:58KHz
Color:White
Material:PS Shell
Dimension:40*10*2mm
Packaging:10000pcs/ctn, 5Kg, 0.029cbm



Waterproof AM Label (WPSL-P3)

Frequency:58KHz
Color:Barcode
Material:PS Shell
Dimension:50*15*2.0mm
Packaging:10000pcs/ctn,10Kg,0.031cbm



Meat Label (MWSL-P3)

Frequency:58KHz
Color:Red
Material:PS Shell
Dimension:45*10*1.6mm
Packaging:20000pcs/ctn,11Kg,0.032cbm



Card Label (PCSL-P3)

Frequency:58KHz
Color:White/Gray
Material:Cardboard
Dimension:
 Common size:62*28*2mm/53*41*2mm,
 Customization available



Hang Label (RSL-P3)

Frequency:58KHz
Color:White/Barcode
Material:PS Shell
Dimension:50*10*1.6mm
Packaging:10000pcs/ctn,8.6Kg,0.032cbm



Sewing Label (PKSL-P3)

Frequency:58KHz
Color:Multi-Color
Material:Fabric
Dimension:
 Common size:63*16*2mm,
 More than 20 styles,customization available



Insertable Label (ISTL-P3)

Frequency:58KHz
Color:White/Barcode
Material:PS Shell
Dimension:49*11*1.8mm
Packaging:20000pcs/ctn,12Kg,0.032cbm



AM Label with Cover Paper (GPL)

Frequency:58KHz
Color:Barcode/Multi-color
Material:PS Shell
Dimension:60*40mm
Packaging:6000pcs/ctn,6.8~7.0Kg,0.033cbm



AM Label Cover Paper (GPL-B)

Frequency:58KHz
Color:black
Material:PS Shell
Dimension:60*60mm
Packaging:40000pcs/ctn,5.9kg,0.03cbm



**AM Slim Label
(SKL-G)**

Frequency:58KHz

Color:White

Material:R-PS Shell

Dimension:44*5.5*2mm

Packaging:2500pcs/ctn,0.8Kg;
20000pcs/ctn, 6.2Kg, 0.02cbm



**AM Slim Label
(SHL-G)**

Frequency:58KHz

Color:Black

Material:R-PS Shell

Dimension:44*5.5*2mm

Packaging:2500pcs/ctn,0.8Kg;
20000pcs/ctn, 6.2Kg, 0.02cbm



**AM Slim Label
(STL-G)**


Frequency:58KHz

Color:Barcode

Material:R-PS Shell

Dimension:44*5.5*2mm;

Packaging:2500pcs/ctn,0.8Kg;
20000pcs/ctn, 6.2Kg, 0.02cbm



**Anti-metal Shielding Label
(AS)**

Frequency:58KHz

Color:White/Barcode

Material:PS Shell

Dimension:45*11*5.0mm

Packaging:N/A



**Book Label
(BKSL-P3)**

Frequency:58KHz



Color:White/Barcode

Material:PS Shell

Dimension:45*11*1.6mm

Packaging:10000pcs/ctn,6Kg,0.032cbm

Hard Tags




**Hammer Tag
(HT-001A)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:66*19.5*22mm
Packaging:1000pcs/ctn,10.8Kg,0.028cbm



**Mini Pencil Tag
(HT-002)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:51*20*13mm/46*20*13mm
Packaging:1000pcs/ctn,8.6Kg,0.017cbm




**Flat Hammer Tag
(HT-002B)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:53*11*18mm
Packaging:1000pcs/ctn,9Kg,0.023cbm




**Big Pencil Tag
(HT-003)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:61*20*14mm
Packaging:1000pcs/ctn,10.7Kg,0.023cbm




**Flat Square Tag
(HT-005)**

Frequency:8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:51*30*25mm
Packaging:1000pcs/ctn,9.3Kg,0.031cbm




**Hammer Clothing Tag
(HT-006)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:69*22*20mm
Packaging:1000pcs/ctn,9.8Kg,0.024cbm



**Colthing Tag with lanyard
(HT-006L)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:69*21mm
Packaging:1000pcs/ctn,10.3Kg,0.033cbm



**Fish shape Tag
(HT-006A)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:63*18*18mm
Packaging:1000pcs/ctn,10.5Kg,0.022cbm



**Note Tag
(HT-006B)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:63*20*17.5mm
Packaging:1000pcs/ctn,11.2Kg,0.022cbm



**Garment Tag
(HT-007)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:60*30*25mm
Packaging:1000pcs/ctn,13.6Kg,0.028cbm



**Smooth -surfaced Golf Tag
(HT-008)**

Frequency:58kHz/8.2mHz
Color:White/Black/Customizable
Material:ABS
Dimension:∅53*25mm
Packaging:1000pcs/ctn,14Kg,0.05cbm



**Ballast-surfaced Golf Tag
(HT-008A)**

Frequency:58kHz/8.2mHz
Color:White/Black/Customizable
Material:ABS
Dimension:∅53*25mm
Packaging:1000pcs/ctn,14Kg,0.05cbm



**Triangle Tag
(HT-009)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:31*32*20mm
Packaging:1000pcs/ctn,8.1Kg,0.018cbm



**Mini Triangle Tag
(HT-009A)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:29*19*23mm
Packaging:1000pcs/ctn,8.3Kg,0.017cbm



**Mini Square Tag
(HT-010)**

Frequency:8.2mHz
Color:Gray/Black/Customizable
Material:ABS
Dimension:48*42mm
Packaging:1000pcs/ctn,9.4Kg,0.027cbm



**Square Tag
(HT-011A)**

Frequency:8.2mHz
Color:Gray/Black/Customizable
Material:ABS
Dimension:68*55mm
Packaging:1000pcs/ctn,15.45Kg,0.037cbm



**Cone Tag
(HT-012)**

Frequency:8.2mHz
Color:Milk white/Customizable
Material:ABS
Dimension:∅63*30mm
Packaging:500pcs/ctn,7.1Kg,0.035cbm



**Mini Cone Tag
(HT-012A)**

Frequency:8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:∅45mm*20mm
Packaging:1000pcs/ctn,9.9Kg,0.031cbm



**Ink Tag I
(HT-013)**

Frequency:58kHz/8.2mHz
Color:Milk white/Customizable
Material:ABS
Dimension:∅51mm
Packaging:500pcs/ctn,9.3Kg,0.027cbm



**Round Ink Tag I
(HT-014)**

Frequency:58kHz/8.2mHz
Color:Milk white/Customizable
Material:ABS
Dimension:∅50*25mm
Packaging:500pcs/ctn,7.2Kg,0.028cbm



**Round Ink Tag II
(HT-014A)**

Frequency:8.2mHz
Color:Milk white/Customizable
Material:ABS
Dimension:∅50*18mm
Packaging:500pcs/ctn,7.2Kg,0.028cbm




**Lanyard Tag I
(HT-015)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:44*13*24mm;String length 9cm
Packaging:1000pcs/ctn,7.3Kg,0.017cbm



**Lanyard Tag II
(HT-015A)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:46*13*20mm
Packaging:1000pcs/ctn,9.6Kg,0.018cbm




**Big Lanyard Tag
(HT-015B)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:54*20*13mm
Packaging:1000pcs/ctn,9Kg,0.022cbm




**Snack Clip
(HT-017)**

Frequency:58kHz/8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:68*40*15mm
Packaging:500pcs/ctn,12Kg,0.033cbm



**800g Milk Powder Tag
(HT-018)**

Frequency:58kHz/8.2kHz/DualFrequency
Color:Gray/Customizable
Material:ABS
Outer: Ø152*35
Inner: Ø127~129mm*35
Packaging:100pcs/ctn,13.8Kg,0.068cbm



**1200g Milk Powder Tag
(HT-018A)**

Frequency:58kHz/8.2kHz/DualFrequency
Color:Gray/Customizable
Material:ABS
Outer: Ø187 *35
Inner: Ø152~154mm*35
Packaging:100pcs/ctn,17.5Kg,0.112cbm



**400g Milk Powder Tag
(HT-019)**

Frequency:58kHz/8.2mHz/DualFrequency
Color:Gray/Customizable
Material:ABS
Outer: Ø126*35
Inner: Ø102~104mm*35
Packaging:100pcs/ctn,9.8Kg,0.05cbm



**Bottle Tag
(HT-021)**

Frequency:58kHz/8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:32*52.5*45.5mm
Packaging:500pcs/ctn,10Kg,0.035cbm



**Optical Tag
(HT-022)**

Frequency:58kHz/8.2mHz
Color:Gray/Black/Customizable
Material:ABS
Dimension:25*25*25mm
Packaging:1000pcs/ctn,9Kg,0.02cbm



**Eccentric circle Tag
(HT-023)**

Frequency:8.2mHz
Color:Gray/Beige/White/Black/Customizable
Material:ABS
Dimension: Ø50mm
Packaging:1000pcs/ctn,10.3Kg,0.033cbm



**50Round Ceramic Buckle Tag
(HT-023A)**

Frequency:8.2mHz
Color:Gray/Beige/White/Black/Customizable
Material:ABS
Dimension: Ø50mm
Packaging:1000pcs/ctn,12.5Kg,0.033cbm



**Straw Hat Tag
(HT-023B)**

Frequency:8.2mHz
Color:Gray/Beige/White/Black/Customizable
Material:ABS
Dimension: Ø48mm
Packaging:1000pcs/ctn,9.2Kg,0.03cbm



**Super Optical Tag
(HT-024)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:52*31*25mm
Packaging:1000pcs/ctn,12.2Kg,0.026cbm



**Multi-function Tag
(HT-025)**

Frequency:58kHz+RFID/8.2mHz+RFID
Color:Gray/Customizable
Material:ABS
Dimension:74*21mm/69*20.5mm
Packaging:1000pcs 12.5Kg,0.037cbm




**Clip Lock
(HT-026)**

Frequency:58kHz/8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:72*37mm
Packaging:1000pcs/ctn, 22.0Kg, 0.038cbm




**Tiny Cone Tag
(HT-027)**

Frequency:8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:∅34*25mm
Packaging:1000pcs/ctn,9Kg,0.02cbm



**Mini Round Tag
(HT-027A)**

Frequency:8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:∅42*19mm
Packaging:1000pcs/ctn,9.6Kg,0.028cbm



**Long Pencil Tag
(HT-028)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:65*17*19/73*17*19mm
Packaging:1000pcs/ctn,12Kg,0.025cbm



**Bottle Cap
(HT-029)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:66*50*43mm;
Protection Diameter:∅28~32mm
Packaging:200pcs/ctn,4.8Kg,0.044cbm




**Flat Golf Tag
(HT-030)**

Frequency:8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:∅53*20mm
Packaging:500pcs/ctn,8.7Kg,0.028cbm




**Jewelry Tag
(HT-031)**

Frequency:58kHz/8.2mHz
Color:Gray/White/Black/Customizable
Material:ABS
Dimension:28*13*12mm
Packaging:5000pcs/ctn,14.6Kg,0.028cbm



**Slipper Tag
(HT-032)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:84*30mm
Packaging:1000pcs/ctn,12.6Kg,0.04cbm



**Mini Slipper Tag
(HT-032A)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:69*18.5*30mm
Packaging:1000pcs/ctn,11.2Kg,0.037cbm



**Fat Slipper Tag
(HT-032B)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:87.5*18*30mm
Packaging:1000pcs/ctn,14.3Kg,0.05cbm



**BesTag
(HT-033)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:68*25*25mm
Packaging:1000pcs/ctn,12.3Kg,0.033cbm



**800g Milk Powder Cap
(HT-034)**

Frequency:58kHz/8.2mHz/DualFrequency
Color:Gray/Customizable
Material:ABS
Dimension:∅140*33mm
Packaging:100pcs/ctn,13.5Kg,0.068cbm



**400g Milk Powder Cap
(HT-034A)**

Frequency:58kHz/8.2mHz/DualFrequency
Color:Gray/Customizable
Material:ABS
Dimension:∅113*33mm
Packaging:100pcs/ctn,10Kg,0.05cbm



**One-off Milk Powder Tag
(HT-035)**

Frequency:58kHz
Color:Transparent/Customizable
Material:Food Grade ABS
Dimension:∅132*15mm
Packaging:80pcs/ctn,3.5Kg,0.029cbm



**Bomba Tag
(HT-036)**

Frequency:58KHz/8.2mHz
Color:White/Black/Customizable
Material:ABS
Dimension:∅42mm
Packaging:1000pcs/ctn,10Kg,0.03cbm



**Bomba Ink Tag
(HT-037)**

Frequency:58KHz/8.2mHz
Color:White/Black/Customizable
Material:ABS
Dimension:∅42mm
Packaging:1000pcs/ctn,14Kg,0.033cbm



**Thermos Cup Tag
(HT-038)**

Frequency:58kHz/8.2mHz
Color:Gray/Customizable
Material:ABS
Dimension:3.3*3.3*4cm;strip length: 15cm
Packaging:200pcs/ctn,8.7Kg,0.038cbm



**Bottle Cap I
(HT-039)**

Frequency:58kHz/8.2mHz
Color:Black/Transparent/Customizable
Material:PC, ABS
Dimension:80*43*53mm
Protection Diameter:Ø28~32mm
Packaging:200pcs/ctn,11.5Kg,0.031cbm



**Bottle Cap II
(HT-039A)**

Frequency:58kHz/8.2mHz
Color:Black/Transparent/Customizable
Material:PC,ABS
Dimension:80*82*63mm
Protection Diameter:Ø22~36mm
Packaging:200pcs/ctn,13Kg,0.062cbm



**Mini Bottle Tag
(HT-040)**

Frequency:58kHz
Color:Gray/Black/Customizable
Material:ABS
Dimension:35*30mm;strip length: 15cm
Packaging:500pcs/ctn,10.2Kg,0.029cbm




**Mini Milk Tag
(HT-040A)**

Frequency:58kHz
Color:Gray/Black/Customizable
Material:ABS
Dimension:35*30mm;strip length: 47cm
Packaging:500pcs/ctn,14.5Kg,0.029cbm



**Super Bottle Tag
(HT-041)**

Frequency:58kHz
Color:Gray/Customizable
Material:ABS
Dimension:35*49mm;strip length: 15cm
Packaging:500pcs/ctn,11.7Kg,0.029cbm



**Super Milk Tag
(HT-041A)**

Frequency:58kHz
Color:Gray/Customizable
Material:ABS
Dimension: 35*49mm;strip length: 47cm
Packaging:500pcs/ctn,15.8Kg,0.029cbm



**Square Bottle Tag
(HT-042)**

Frequency:8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:43*48mm;strip length: 15cm
Packaging:500pcs/ctn,10.8Kg,0.029cbm



**Square Milk Tag
(HT-042A)**

Frequency:8.2mHz
Color:Black/Customizable
Material:ABS
Dimension:43*48mm;strip length: 47cm
Packaging:500pcs/ctn,14.9Kg,0.029cbm



Hard tag for golf clubs (small) (HT-044A)

Frequency:58kHz/8.2mHz

Color:Black/Customizable

Material:PC,ABS

Dimension:56.5*34*23mm

Protection Diameter:12mm

Packaging:250pcs/ctn,6.5Kg,0.019cbm



Hard tag for golf clubs (large) (HT-044B)

Frequency:58kHz/8.2mHz

Color:Black/Customizable

Material:PC,ABS

Dimension:61*52.5*20mm

Protection Diameter:21mm

Packaging:200pcs/ctn,6.2Kg,0.023cbm



RF Round Bottle Tag (HT-045A)

Frequency:8.2mHz

Color:Black/Customizable

Material:PC,ABS

Dimension:Ø54mm;strip length:17cm

Packaging:500pcs/ctn,11.9Kg,0.041cbm



RF Round Milk Tag (HT-045B)

Frequency:8.2mHz

Color:Black/Customizable

Material:PC,ABS

Dimension:Ø54mm;strip length:47cm

Packaging:250pcs/ctn,8.1Kg,0.056cbm



Round Bottle Tag (HT-046A)

Frequency:58kHz/8.2mHz/DualFrequency

Color:Black/Customizable

Material:PC,ABS

Dimension:Ø53mm;strip length:17cm

Packaging:500pcs/ctn,11.6Kg,0.041cbm



Round Milk Tag (HT-046B)

Frequency:58kHz/8.2mHz/DualFrequency

Color:Black/Customizable

Material:PC,ABS

Dimension:Ø53mm;strip length:47cm

Packaging:250pcs/ctn,7.8Kg,0.041cbm

Alarming Tags



**Self Alarming Tag II
(SAT-02)**

Frequency:58kHz/8.2mHz
Color:Black
Material:ABS
Dimension:90*36*20mm
String length:16.5cm/Customizable
Packaging:160pcs/ctn,7.0 6Kg,0.023cbm



**Self Alarming Tag III
(SAT-03)**

Frequency:58kHz/8.2mHz
Color:Black
Material:ABS
Dimension:50*32*19mm
String length:11cm/Customizable
Packaging:300pcs/ctn,7.4Kg,0.023cbm



**Box Guard
(SAT-05)**

Frequency:58kHz/8.2mHz/DualFrequency
Color:Black
Material:ABS
Dimension:Ø70*50mm
String length:85cm*4/Customizable
Packaging:100pcs/ctn,10.4Kg,0.046cbm



**Mini Box Guard
(SAT-05A)**

Frequency:58kHz/8.2mHz/DualFrequency
Color:Black
Material:ABS
Dimension:Ø50*48mm
String length:65cm*4/Customizable
Packaging:250pcs/ctn,13.45Kg,0.035cbm



**Box Web Guard
(SAT-06)**

Frequency:58kHz/8.2mHz/DualFrequency
Color:Black
Material:ABS
Dimension:Ø70*38mm
Web Length:36/72cm /Customizable
Packaging:100pcs/ctn,11Kg,0.04cbm



**New Box Guard
(SAT-07)**

Frequency:58kHz/8.2mHz/DualFrequency
Color:Black
Material:ABS
Dimension:Ø70*38mm
String length:80cm/110cm/Customizable
Packaging:150pcs/ctn,12.8Kg,0.069cbm



New Mini Box Guard (SAT-07A)

Frequency:58kHz/8.2mHz/DualFrequency

Color:Black

Material:ABS

Dimension:Ø50*46mm

String length:50cm/60cm/Customizable

Packaging:200pcs/ctn,11.3Kg,0.054cbm

Safers



**Shaver Safer
(PB-001)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:111*40*137mm
Inner:105*36*113mm
Packaging:60pcs/ctn,9Kg,0.044cbm



**Shaver Safer
(PB-002)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:111*31*137mm
Inner:106*26*113mm
Packaging:80pcs/ctn,9Kg,0.044cbm



**Battery Safer
(PB-003)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:161*114*40mm
Inner:80*110*20mm
Packaging:100pcs/ctn,11.2Kg,0.053cbm



**Cosmetics Safer
(PB-004)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:78*72*155mm
Inner:72*50*140mm
Packaging:40pcs/ctn,6.1Kg,0.04cbm



**Cosmetics Safer
(PB-005)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:96*67*155mm
Inner:90*62*137mm
Packaging:27pcs/ctn,5.1Kg,0.04cbm



**Toothpaste Safer
(PB-006)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:245*86*54mm
Inner:240*59*50mm
Packaging:50pcs/ctn,10.4Kg,0.071cbm



**Multi-Use Safer
(PB-007)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:117*98*172mm
Inner:110*85*153mm
Packaging:40pcs/ctn,10.7Kg,0.088cbm



**Multi-Use Safer
(PB-008)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:93*73*208mm
Inner:65*65*195mm
Packaging:20pcs/ctn,4.3Kg,0.032cbm



**Shaver Safer
(PB-009)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:116*44*145mm
Inner:109*40*119mm
Packaging:100pcs/ctn,16.5Kg,0.087cbm



**Shaver Safer
(PB-010)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:116*34*145mm
Inner:109*30*119mm
Packaging:100pcs/ctn,14Kg,0.071cbm



**Mobilephone Safer
(PB-011)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:112*19*203mm
Inner:107*15*180mm
Packaging:100pcs/ctn,14.2Kg,0.068cbm



**DVD Safer
(PB-012)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:150*20*215mm
Inner:143*16*192mm
Packaging:100pcs/ctn,18.2Kg,0.073cbm



**Double DVD Safer
(PB-013)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:152*39*218mm
Inner:145*35*191mm
Packaging:50pcs/ctn,12.9Kg,0.078cbm



**Triple DVD Safer
(PB-014)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:155*55*225mm
Inner:150*50*200mm
Packaging:50pcs/ctn,15.3Kg,0.115cbm



**Smartphone Accessory Safer
(PB-015)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:114*28.5*225mm
Inner:110*25*199mm
Packaging:50pcs/ctn,9.3Kg,0.085cbm



**Double Battery Safer
(PB-016)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:114*161*57mm
Inner:80*110*34mm
Packaging:100pcs/ctn,12.4Kg,0.068cbm



**Cosmetics Safer
(PB-021)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:95*77*98mm
Inner:73*73*82mm
Packaging:45pcs/ctn,5.6Kg,0.04cbm



**Multi-use Safer
(PB-022)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:160*108*215mm
Inner:151*81*198mm
Packaging:25pcs/ctn,10.1Kg,0.117cbm



**Multi-use Safer
(PB-024)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:115*110*210mm
Inner:110*85*197mm
Packaging:15pcs/ctn,5.3Kg,0.047cbm



**Multi-use Safer
(PB-025)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:121*83*241mm
Inner:115*65*224mm
Packaging:20pcs/ctn,7Kg,0.057cbm



**Cosmetics Safer
(PB-027)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:140*76*186mm
Inner:135*60*168mm
Packaging:50pcs/ctn,13.2Kg,0.114cbm



**Gum Safer
(PB-028)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:Ø74*136mm
Inner:Ø70*117mm
Packaging:100pcs/ctn,10.4Kg,0.091cbm



**Milk Powder Safer
(PB-029)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:Ø155*204mm
Inner:Ø135*195mm
Packaging:20pcs/ctn,8.5Kg,0.099cbm




**Cosmetics Safer
(PB-031)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:126*106*126mm
Inner:100*100*110mm
Packaging:16pcs/ctn,3.8Kg,0.033cbm



Toothpaste Adjustable Safer (PB-032)

Frequency:58kHz/8.2mHz
Material:PC
Outer:61*69*(176~258)mm
Inner:55*44*(170~252)mm
Packaging:30pcs/ctn,3.5Kg,0.025cbm



Toothpaste Adjustable Safer (PB-032A)

Frequency:58kHz/8.2mHz
Material:PC
Outer:61*69*(175~215)mm
Inner:55*44*(166~210)mm
Packaging:30pcs/ctn,3.4Kg,0.022cbm



Adjustable Safer (PB-033)

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:83*77*(154~248)mm
Inner:68*55*(130~205)mm
Packaging:32pcs/ctn,6.1Kg,0.04cbm



Adjustable Safer (PB-033A)

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:95*79*(142~195)mm
Inner:80*57*(148~180)mm
Packaging:32pcs/ctn,6.1Kg,0.04cbm



Toothpaste Adjustable Safer (PB-034)

Frequency:58kHz/8.2mHz
Material:PC
Outer:51*63*(154~200)mm
Inner:47*38*(145~195)mm
Packaging:30pcs/ctn,2.9Kg,0.017cbm



Toothpaste Adjustable Safer (PB-034A)

Frequency:58kHz/8.2mHz
Material:PC
Outer:51*63*(190~225)mm
Inner:47*38*(181~220)mm
Packaging:40pcs/ctn,3.7Kg,0.024cbm



Lipstick Safer (PB-035)

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:137*32*171mm
Inner:130*28*145mm
Packaging:100pcs/ctn,18Kg,0.087cbm



Razor Safer (PB-036)

Frequency:58kHz/8.2mHz/Dual Frequency
Material:PC
Outer:224*119*44mm
Inner:190*114*40mm
Packaging:50pcs/ctn,10.7Kg,0.069cbm



Electric Toothbrush Safer (PB-037)

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:261*111.6*124mm
Inner:250*100*100mm
Packaging:30pcs/ctn,11.6Kg,0.127cbm



**Perfume Safer
(PB-038)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:112*67*139mm
Inner:105*63*112mm
Packaging:50pcs/ctn,9.8Kg,0.087cbm



**Extended Safer
(PB-039)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:112*22*265mm
Inner:106*18*242mm
Packaging:100pcs/ctn,19.8Kg,0.124cbm



**Cosmetics Safer
(PB-040)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:82*85*180mm
Inner:75*58*166mm
Packaging:40pcs/ctn,7.3Kg,0.053cbm



**Multi-use Safer
(PB-041)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:112.5*98*157mm
Inner:106*72*141mm
Packaging:20pcs/ctn,4.5 Kg,0.04cbm



**Multi-use Safer
(PB-042)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:178.5*172*192.4mm
Inner:162*165*165mm
Packaging:12pcs/ctn,6.8Kg,0.082cbm




**Multi-use Safer
(PB-044)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:250*75*80mm
Inner:262*92*84mm
Packaging:50pcs/ctn,12.5Kg,0.124cbm



**IPAD Safer
(PB-051)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:292*235*78mm
Inner:264*228*72mm
Packaging:9pcs/ctn,7.2Kg,0.057cbm



**Multi-use Safer
(PB-052)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:265*145*55mm
Inner:240*140*50mm
Packaging:50pcs/ctn,17Kg,0.123cbm



**Cosmetics Safer
(F7126)**

Frequency:58kHz/8.2mHz/Dual Frequency
Material:ABS cover, PC body
Outer:78*70*125mm
Inner:71*42*110mm
Packaging:60pcs/ctn,6.8Kg,0.042cbm

RF Soft Labels



**RF Label
(RFSL-1552)**

Frequency:8.2MHz
Color:Transparent/White/Customizable
Dimension:15*52mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,6.8Kg,0.013cbm



**RF Label
(RFSL-1965)**

Frequency:8.2MHz
Color:Transparent/White/Customizable
Dimension:19*65mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,8.5Kg,0.015cbm



**RF Label
(RFSL-3040)**

Frequency:8.2mHz
Color:Barcode/White/Customizable
Dimension:30*40mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,9.5Kg,0.019cbm



**RF Label
(RFSL-3048)**

Frequency:8.2mHz
Color:Barcode/White/Customizable
Dimension:30*48mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,11.5Kg,0.025cbm



**RF Label
(RFSL-3541)**

Frequency:8.2mHz
Color:Barcode/White/Customizable
Dimension:35*41mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,11Kg,0.02cbm



**RF Label
(RFSL-2626)**

Frequency:8.2mHz
Color:Transparent/White/Customizable
Dimension:26*26mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,6Kg,0.012cbm



**RF Label
(RFSL-3030)**

Frequency:8.2mHz
Color:Barcode/Transparent/White/
Customizable
Dimension:30*30mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,7Kg,0.015cbm



**RF Label
(RFSL-4040)**

Frequency:8.2mHz
Color:Barcode/White/Customizable
Dimension:40*40mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,13Kg,0.021cbm



**RF Label
(RFSL-5050)**

Frequency:8.2mHz
Color:Barcode/white/Customizable
Dimension:50*50mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,15.5Kg



**RF Label
(RFSL-30R)**

Frequency:8.2mHz
Color:Barcode/Transparent/White/
Customizable
Dimension:Ø30mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,6Kg,0.014cbm



**RF Label
(RFSL-33R)**

Frequency:8.2mHz
Color:Barcode/Transparent/White/
Customizable
Dimension:Ø33mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,8Kg,0.015cbm



**RF Label
(RFSL-35R)**

Frequency:8.2mHz
Color:Barcode/Transparent/White/
Customizable
Dimension:Ø35mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,8.5Kg,0.015cbm



**RF Label
(RFSL-40R)**

Frequency:8.2mHz
Color:Barcode/white/Customizable
Dimension:Ø40mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,11Kg,0.021cbm



**RF Label
(RFSL-Heart)**

Frequency:8.2mHz
Color:Red/Customizable
Dimension:47*47mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,14.5Kg,0.026cbm



**RF Label
(RFSL-Shoe Label)**


Frequency:8.2mHz
Color:Red/Customizable
Dimension:40*58mm
Labels per roll:1000pcs
Packaging:20000pcs/ctn,12Kg,0.025cbm

Detachers & Deactivators



**Golf Detacher
(UD-001)**

Weight:0.266kg
Dimension:Ø72*35mm
Magnetic Force:≥7500GS
Color:Silver/Black
Packaging:50pcs/ctn,14.7Kg,0.02cbm



**Universal Detacher
(UD-002)**

Weight:0.27kg
Dimension:Ø75*35mm
Magnetic Force:≥7500GS
Color:Silver
Packaging:50pcs/ctn,14.8Kg,0.02cbm



**Ordinary Detacher
(UD-003)**

Weight:0.177kg
Dimension:Ø75*22mm
Magnetic Force:5000~8000GS
Color:Electroplated silver/Matte silver
Packaging:80pcs/ctn,15.9Kg,0.02cbm



**Cone Detacher
(UD-004)**

Weight:0.39kg
Dimension:Ø75*45mm
Magnetic Force:≥7500GS
Color:Silver/Black
Packaging:50pcs/ctn,20.9Kg,0.02cbm



**Portable Detacher
(UD-005)**

Weight:0.052kg
Dimension:Ø20*56mm
Magnetic Force:5000GS
Color:Silver
Packaging:200pcs/ctn,11.6Kg,0.015cbm



**Handheld Detacher
(UD-007)**

Weight:0.32kg
Dimension:200*120*70mm trip length:100cm
Material:ABS
Packaging:10pcs/ctn,5.5Kg,0.034cbm



Optical Tags Screwdriver (UD-008)

Weight:0.01kg
Dimension:length:90mm
Material:ABS
Packaging:500pcs/ctn,5Kg,0.031cbm



Plastic Detacher with Cover (UD-011)

Weight:0.29kg
Dimension:∅82mm*75mm
Magnetic Force:10000GS/12000GS
Packaging:50pcs/ctn,16.8Kg,0.032cbm



AM Deactivator (AMUD-001)

Weight:1.97kg
Frequency:58kHz
Dimension:235*210*63mm
Hole size:215*190mm
Material:ABS
Packaging:6pcs/ctn,13.8Kg,0.079cbm



AM Deactivator (AMUD-002)

Weight:1.65kg
Frequency:58kHz
Dimension:240*200*55mm
Hole Size:180*220mm
Material:ABS
Packaging:10pcs/ctn,20.5Kg,0.096cbm



AM Deactivator (AMUD-003)

Weight:1.77kg
Frequency:58kHz
Dimension:230*194*55mm
Hole Size:210*170mm
Material:ABS
Packaging:10pcs/ctn,21.6Kg,0.101cbm




Countertop Detacher (AMUD-004)

Weight:1.5kg
Dimension:146*100*60mm
Material:ABS
Packaging:5pcs/ctn,8.2Kg,0.02cbm



Flush Mount Detacher (AMUD-005)

Weight:1.6kg
Dimension:220*175*55mm
Hole Size:150*105mm
Material:ABS
Packaging:5pcs/ctn,8.5Kg,0.04cbm



AM Deactivator (AMUD-006)

Weight:1.32kg
Frequency:58kHz
Dimension:230*200*50mm
Hole Size:180*210mm
Material:Tempered glass panel+ ABS
Packaging:10pcs/ctn,14.2Kg,0.063cbm



RF Deactivator (RFUD-001)

Weight:0.61kg
Frequency:8.2mHz
Dimension:240*230*25mm
Material:ABS
Packaging:28pcs/ctn,23Kg,0.108cbm



**RF Deactivator
(RFUD-002)**

Weight:0.85kg
Frequency:8.2mHz
Dimension:240*240*13mm
Material:ABS
Packaging:28pcs/ctn,31Kg,0.108cbm



Bin Deactivator

Weight:47.5kg(body)+7.62kg(metal base)
Frequency:58kHz
Dimension:415*375*805mm
Material:Acrylic main body, metal base frame
Packaging:1pcs/ctn,58Kg
(without base frame),0.263cbm



**Hand-held Verifier
(VR-001AM/RF)**

Weight:0.196kg
Frequency:58kHz/8.2mHz
Dimension:375*75*35mm
Material:ABS
Recharge:×
Packaging:15pcs/ctn,4.3Kg,0.026cbm



**Hand-held Verifier
(VRC-001AM/RF)**

Weight:0.252kg
Frequency:58kHz/8.2mHz
Dimension:375*75*35mm
Material:ABS
Recharge:√
Packaging:15pcs/ctn,5.7Kg,0.026cbm

Accessories



**Circular Plastic Pin
(PIN-001)**

Pin Length: 16/19 mm or customized
Head Diameter: 20mm
Remark: Smooth nail/Groove nail
Packaging: 10000pcs/ctn,11Kg,0.035cbm



**Cone Metal Pin
(PIN-002)**

Pin Length: 16/19 mm or customized
Head Diameter: Ø13mm/Ø14mm
Remark: Smooth nail/Groove nail
Packaging: 10000pcs/ctn,20Kg,0.024cbm



**Cone Plastic Pin
(PIN-003)**

Pin Length: 16/19 mm or customized
Head Diameter: Ø16mm
Remark: Smooth nail/Groove nail
Packaging: 10000pcs/ctn,9Kg,0.024cbm



**Round Metal Pin
(PIN-004)**

Pin Length: 16/19 mm or customized
Head Diameter: Ø16mm
Remark: Smooth nail/Groove nail
Packaging: 10000pcs/ctn,20Kg,0.024cbm



**Mini Dome Pin
(PIN-005)**

Pin Length: 16/19 mm or customized
Head Diameter: Ø12.5mm
Remark: Smooth nail/Groove nail
Packaging: 10000pcs/ctn,6.5Kg,0.013cbm




**Flat Metal Pin
(PIN-006)**

Pin Length: 16/19 mm or customized
Head Diameter: Ø12mm/Ø10.6mm
Remark: Smooth nail/Groove nail
Packaging: 20000pcs/ctn,19.5Kg,0.012cbm



**Ink pin
(PIN-007)**

Pin Length:16/19 mm or customized
Tag size :42.5*21.5mm, with two inks
Remark:Groove nail
Packaging: 1000pcs/ctn,5.85Kg,0.022cbm




**Loop-to-Pin
(WR-001)**

String Length:17cm /10cm or customized
Color:black /white
Packaging: 10000pcs/ctn,17.2Kg,0.028cbm



**Jewelry Lanyard
(WR-002)**

String Length:15cm or customized
Color:black/gray
Packaging: 10000pcs/ctn,27.9Kg,0.031cbm



**Transparent Protective Lanyard
(WR-003)**

String Length:11cm or customized
Packaging:10000pcs/ctn,22.5Kg,0.028cbm



Stoplock (SL-001)

Dimension:39*19*15mm
Weight: with a plate:6.86g
 without a plate:6.1g
Packaging: 1000pcs/ctn, with a plate:7.6Kg
 without a plate:6.6Kg,0.02cbm
Remark:4.5mm/5.0mm/6.0mm/.../9.0mm
 or customized of the hole diameter



Pin Lock I (SL-002)

Dimension:∅16*18mm
Weight:2.6g
Color:white
Packaging: 3000pcs/ctn, 11Kg, 0.017cbm
Remark:customize the strength of the lock core



Pin Lock II (SL-002A)

Dimension:∅19*17.5mm
Weight:3g
Color:white
Packaging:4000pcs/ctn, 16.7Kg, 0.02cbm
Remark:customize the strength of the lock core

Detection Systems

RF detection system

(XMPS-01RF)
(XMPS-01RF-MONO)

Remark:

Easy installation with simple synchronization by normal wires in connection. Audible and visual alarm indication with adjustable speaker and LED light. Plug and play, Connection cable length is customized.

Dimension:1580*380*130mm

Weight:13.8kgs/set

Frequency:8.2mHz

Material:Aluminium alloy shell

Packaging Dimension:1630*440*210mm

Case Weight:15kgs/set



RF detection system

(XMPS-02RF)
(XMPS-02RF-MONO)

Remark:

Digital processing hardware can identify and isolate interference signals with low false alarm rates. Easy installation. Audible and visual alarm indication with adjustable speaker and LED light.

Dimension:1630*400*45mm

Weight:6.5kg

Frequency:8.2mHz

Material:Aluminium alloy shell

Packaging Dimension:1700*480*170mm

Case Weight:16.5kg



RF detection system**(XMPS-02RF-RL)****(XMPS-02RF-MONO-RL)****Remark:**

Digital processing hardware can identify and isolate interference signals with low false alarm rates. Easy installation. Audible and visual alarm indication with adjustable speaker and LED light.

Dimension:1550*460*70mm**Weight:**6kg**Frequency:**8.2mHz**Material:**Aluminium alloy shell**Packaging Dimension:**1600*500*180mm**Case Weight:**13.5kg**RF detection system****(XMPS-03RF)****(XMPS-03RF-MONO)****Remark:**

Digital processing hardware can identify and isolate interference signals with low false alarm rates. Easy installation. Audible and visual alarm indication with adjustable speaker and LED light.

Dimension:1530*400*110mm**Weight:**14.6kg**Frequency:**8.2mHz**Material:**AcrylicBody ABS base**Packaging Dimension:**1540*460*150mm**Case Weight:**18.7kg**AM detection system****(SET:XMPS-005)****(Master:XMPS-005M) (Auxiliary Machine:XMPS-005AX)****Remark:**

Add new passenger flow counter system.
The number of people in and out will be counted separately.
Computer control, windows is compatible with its system.
Can use mobile phone remote debugging products.
Single, dual and multiple systems available

Dimension:1560*412*120mm**Weight:**Main:6.5kgs Subsidiary:6.5kgs**Frequency:**58kHz**Material:**ABS Shell**Packaging Dimension:**1580*450*200/set 1580*450*145/pc**Case Weight:**14kgs/set 7kgs/pc

AM detection system**(SET:XMPS-011XMPS-0011)****(Master:XMPS-011M) (Auxiliary Machine:XMPS-011AX)****Remark:**

Portable remote control debugging, no need through computer software.

Auto noise filtering to counter interference and minimize false alarm.

All electronics are integrated into antennas with no controller needed.

Easy installation and synchronization with all parameters tuned by remote control.

It can work as Mono/Dual/Multi version.

Audible and visual alarm indication by LED light on top.

Alarming times will be counted and displayed in the window screen at the bottom of device.

Dimension:1500*370*150mm**Weight:**Main:14.0kgs Subsidiary:13.0kgs**Frequency:**58kHz**Material:**AcrylicBody ABS base**Packaging Dimension:**1590*440*170mm**Case Weight:**Main:18.5kgs/pc Subsidiary:17.3kgs/pc**AM detection system****(SET:XMPS-014)****(Master:XMPS-014M) (Auxiliary Machine:XMPS-014AX)****Remark:**

Portable remote control debugging, no need through computer software.

Auto noise filtering to counter interference and minimize false alarm.

All electronics are integrated into antennas with no controller needed.

Easy installation and synchronization with all parameters tuned by remote control.

It can work as Mono/Dual/Multi version.

Audible and visual alarm indication by LED light on top.

Alarming times will be counted and displayed in the window screen at the bottom of device.

Dimension:1495*410*130mm**Weight:**Main:5.8kgs Subsidiary:4.85 kgs Set:13.9kgs**Frequency:**58kHz**Material:**ABS Shell**Packaging Dimension:**1510*430*215/set 1505*425*140/pc**Case Weight:** Main:8.1kgs Subsidiary:7.1kgs Set:14.6kgs**AM detection system****(SET:XMPS-015)****(Master:XMPS-015M) (Auxiliary Machine:XMPS-015AX)**

Portable remote control debugging, no need through computer software.

Auto noise filtering to counter interference and minimize false alarm.

All electronics are integrated into antennas with no controller needed.

Easy installation and synchronization with all parameters tuned by remote control.

It can work as Mono/Dual/Multi version.

Audible and visual alarm indication by LED light on top.

Alarming times will be counted and displayed in the window screen at the bottom of device.

Dimension:1530*400*105mm**Weight:**Main:19.7kgs Subsidiary:18.5kgs**Frequency:**58kHz**Material:**AcrylicBody ABS base**Packaging Dimension:**1600*480*170mm**Case Weight:** Main:20.4kgs Subsidiary:19.2kgs

AM detection system

(SET:XMPS-016)

(Master:XMPS-016M) (Auxiliary Machine:XMPS-016AX)

Remark:

Portable remote control debugging, no need through computer software.
Auto noise filtering to counter interference and minimize false alarm.
All electronics are integrated into antennas with no controller needed.
Easy installation and synchronization with all parameters tuned by remote control.
It can work as Mono/Dual/Multi version.
Audible and visual alarm indication by LED light on top.
Alarming times will be counted and displayed in the window screen at the bottom of device.

Dimension:1570*430*150mm

Weight:Main:10 kgs Subsidiary:7.7kgs Set:16.9kgs

Frequency:58kHz

Material:ABS Shell

Packaging Dimension:1580*450*245/set 1580*450*150/pc

Case Weight:Main:10.8 kgs Subsidiary:8.5kgs Set:17.6kgs



AM detection system

(SET:XMPS-017)

(Master:XMPS-017M) (Auxiliary Machine:XMPS-017AX)

Remark:

Portable remote control debugging, no need through computer software.
Auto noise filtering to counter interference and minimize false alarm.
All electronics are integrated into antennas with no controller needed.
Easy installation and synchronization with all parameters tuned by remote control.
It can work as Mono/Dual/Multi version.
Audible and visual alarm indication by LED light on top.
Alarming times will be counted and displayed in the window screen at the bottom of device.

Dimensions:1545*420*130mm

Weight:Main:7.3kgs Subsidiary:5.9kgs Set:12.7kgs

requency:58kHz

Material:ABS Shell

Packaging Dimension:1550*435*230/set 1550*435*140/pc

Case Weight:Main: 8 kgs Subsidiary:6.6kgs Set:13.5kgs



AM detection system

(SET:XMPS-018)

(Master:XMPS-018M) (Auxiliary Machine:XMPS-018AX)

Remark:

Portable remote control debugging, no need through computer software.
Auto noise filtering to counter interference and minimize false alarm.
All electronics are integrated into antennas with no controller needed.
Easy installation and synchronization with all parameters tuned by remote control.
It can work as Mono/Dual/Multi version.
Audible and visual alarm indication by LED light on top.
Multi-alarming sounds available, English interface display available.
Alarming times will be counted and displayed in the window screen at the bottom of device.

Dimensions:1525*400*110mm

Weight:Main:5.5kgs Subsidiary:4.5kgs

requency:58kHz

Material:ABS Shell

Packaging Dimension:1530*420*210/set 1530*420*135/pc

Case Weight:Main:7.7kgs Subsidiary:6.5kgs Set:12.8kgs



AM detection carpet (XMPS-019)

Remark:

Portable remote control debugging, no need through computer software.
Strong anti-noise performance, low false alarm rate, low service rate.
It can work as Mono/Dual version.

Dimension:Carpet: 1600*1000*10 Electric Box: 382*192*71

Weight:Carpet:5.0kgs Electric Box: 4.5kgs

Frequency:58kHz

Material:PVC spinneret

Packaging Dimension:11000*170*170mm

Case Weight:11kg



Pull Box



Pull Box (SD-001)

Color:Black/white
Material:ABS
Dimension:51*33*16mm
Length of Pulled Wire:900mm
Packaging:500pcs/ctn,10.5Kg,0.033cbm



Pull Box (SD-002)

Color:Black/white
Material:ABS
Dimension:54x45x12mm
Length of Pulled Wire:900mm
Packaging:500pcs/ctn,10Kg,0.033cbm



Pull Box (SD-003)

Color:Black
Material:ABS
Dimension:63x63x18mm
Length of Pulled Wire:1000mm/Customizable
Packaging:200pcs/ctn, 10Kg, 0.033cbm



Pull Box (SD-004)

Color:Black/white
Material:ABS
Dimension:44x44x16mm
Length of Pulled Wire:1500mm
Packaging:500pcs/ctn, 12.5Kg, 0.033cbm



Pull Box (SD-005)

Color:Black
Material:ABS
Dimension:40x40x15mm
Length of Pulled Wire:900mm
Packaging:500pcs/ctn, 11.5Kg, 0.033cbm



Pull Box (SD-006)

Color:Black/white
Material:ABS
Dimension:31.5x31.5x14mm
Length of Pulled Wire:900mm
Packaging:600pcs/ctn, 12Kg, 0.033cbm



Pull Box (SD-007)

Color:Black/white

Material:ABS

Dimension:42x12mm

Length of Pulled Wire:900mm

Packaging:500pcs/ctn, 11.5Kg, 0.033cbm



Pull Box (SD-008)

Color:Black/white

Material:ABS

Dimension:31x11mm

Length of Pulled Wire:850mm

Packaging:800pcs/ctn, 10.5Kg, 0.033cbm



Pull Box (SD-009)

Color:Black/white

Material:ABS

Dimension:25x8mm

Length of Pulled Wire:500mm

Packaging:1000pcs/ctn, 8Kg, 0.033cbm



Pull Box (SD-010)

Color:Black/white

Material:ABS

Dimension:28x9mm

Length of Pulled Wire:900mm

Packaging:1000pcs/ctn, 12Kg, 0.033cbm